

**23<sup>rd</sup> October, 2024**

**Public Notice**

**Disposal of old and used Construction Equipments, supporting Structures, DG Sets and Scrap Material**

It is hereby notified that old and used construction equipments, supporting structures, DG Sets and scrap material are lying at Unitech's project site, namely, Unitech Golf & Country Club, Sector-96, 97 & 98, Noida, which the Company proposes to dispose of on as-is-where-is-lump-sum-basis. The list of material is attached at **Annexure-1**.

The interested parties may contact **Mr. Satnam Singh, Project Coordinator** at his mobile +91-93114 80023 for details and visit the site for inspection of the aforesaid material during office hours on any working day.

The interested parties may quote their price in sealed envelopes on or before 05.11.2024 to the undersigned. The highest Bidder shall be required to remove the material from the site within 07 days from the date of acceptance of the highest Bid. The successful highest bidder shall deposit the entire money in advance before lifting the material.

**A.K. Yadav**  
**Chief Executive Officer**  
**Unitech Group of Companies**

**Annexure-1**

Details of old and used Construction Equipments, supporting Structures, DG Sets and Scrap Material lying at Unitech Golf & Country Club, Sectors - 96, 97, 98, Noida

| Sr. No.                                      | Item Description   | Unit | Approx Quantity |
|--|--|------|-----------------|
| <b>A. Scaffolding Material</b>               |  |      |                 |
| 1  | Scaffolding pipe (Standard 5.7 & 3.0 M) & Ledger (1.5 & 1.2 M)   | No   | 244             |
| <b>B. Structural Steel Scrap</b>             |  |      |                 |
| 1  | Tor Steel  | Kg   | 50000           |
| 2  | GI Sheet 22 gauge / Profile sheet  | Kg   | 2860            |
| 3  | MS Scrap i.e. ISMB 150 x 75 , 175 x 85, Chequered plate 4 mm thick, Angle 40 x 40 x 4mm, Flat iron , Tube etc. | Kg   | 11000           |
| 4  | Concrete chute   | Kg   | 80              |
| 5  | Steel Rope 16mm  | Kg   | 1000            |
| 6  | Wheel Barrow   | Kg   | 40              |
| 7  | Debris Chute 550 mm opening  | Kg   | 200             |
| <b>C. Plant &amp; Equipments/ Mechanical</b> |  |      |                 |
| 1  | Passenger Hoist  | No   | 4               |
| 2  | Material Hoist Gear Drive  | No   | 2               |
| 3  | Material Hoist Structure   | No   | 1               |
| 4  | Monkey Hoist   | No   | 1               |
| 5  | DG Set 40 KVA  | No   | 1               |
| 6  | DG Set 30 KVA (canopy & Chassis only)  | No   | 1               |
| 7  | DG Set 62.5 KVA  | No   | 3               |
| 8  | DG Set 125 KVA   | No   | 2               |
| 9  | Motor Monoblock (1 HP)   | No   | 1               |
| 10   | Motor 3 HP   | No   | 1               |
| 11   | UTM Testing machine (100 T)  | No   | 1               |
| 12   | Air Compressor 2.5 HP with 50 Litre Tank   | No   | 1               |
| 13   | Cube Testing Machine   | No   | 1               |

| Sr. No.                       | Item Description   | Unit  | Approx Quantity |
|-------------------------------|--|-------|-----------------|
| 14                            | Diesel Generator 3HP   | No    | 1               |
| <b>D. Electrical Scrap</b>    |  |       |                 |
| 1                             | L.T Panel  | No    | 1               |
| 2                             | Emergency Feeder Pillar  | No    | 8               |
| 3                             | Electric Pole 9 meter Height Single Arm                              | No    | 26              |
| 4                             | Electric Pole 9 meter Height Double Arm                              | No    | 10              |
| 5                             | Feeder Pillar  | No    | 6               |
| 6                             | Sub Feeder Pillar  | No    | 37              |
| 7                             | Aluminium Armoured Cable 3.5 core (240 sqmm, 185 sqmm, 400 sqmm etc) | Meter | 908             |
| 8                             | 11 KV/433 V AC Packaged Sub Station for 990KVA                       | No    | 3               |
| 9                             | Chillers   | No    | 2               |
| 10                            | Electric Items Scrap (Electric conduit AC Outdoor units, oven, etc)  | LS    | 1               |
| <b>E. Shuttering Material</b> |  |       |                 |
| <b>(i) Peri Material</b>      |  |       |                 |
| 1                             | Hook Strap Universal HBU   | PC    | 304             |
| 2                             | Base Plate-2 FOR RSS Complete  | PC    | 141             |
| 3                             | Uni Tripod Ergo  | PC    | 148             |
| 4                             | Waller Fixation U100-U120  | PC    | 125             |
| 5                             | Crane Lifting Unit-2 VT20, GAL.                                      | PC    | 745             |
| 6                             | Crane Splice Plate   | PC    | 46              |
| 7                             | Prop head SSK Ergo B350  | PC    | 674             |
| 8                             | Internal Platform Beam L=1.9M  | PC    | 4               |
| 9                             | Internal Platform Beam L=2.1M  | PC    | 12              |
| 10                            | Internal Platform Beam L=2.59M                                       | PC    | 16              |
| 11                            | Steel Waller UU VSRZ 100X50X1420                                     | PC    | 1               |
| 12                            | Steel Waller UU SRZ 100X50X2800                                      | PC    | 1               |

| Sr. No. | Item Description               | Unit | Approx Quantity |
|---------|--------------------------------|------|-----------------|
| 13      | Vario Waller VSRZ 120/12       | PC   | 6               |
| 14      | IP BEAM (internal platform)    | PC   | 16              |
| 15      | C-10                           | PC   | 4               |
| 16      | C-12                           | PC   | 4               |
| 17      | C-11                           | PC   | 4               |
| 18      | Peri Beam Head                 | PC   | 207             |
| 19      | Steel Wale U100 SRZ 117 CM     | PC   | 13              |
| 20      | Steel Waller 3.61M             | PC   | 3               |
| 21      | Steel Waller 0.95M             | PC   | 18              |
| 22      | Steel Waller ALL SIZE          | PC   | 966             |
| 23      | Steel Waller 1.45M             | PC   | 13              |
| 24      | VKZ Coupling patti ALL SIZE    | PC   | 166             |
| 25      | VKZ Coupling 211               | PC   | 28              |
| 26      | Cotter Pin 4/1, GALV.          | PC   | 1,194           |
| 27      | Gravity Pivot Plate F. BR CPL  | PC   | 96              |
| 28      | Spacer For Platform Beam BR    | PC   | 288             |
| 29      | Coupling Compression Plate KDP | PC   | 296             |
| 30      | Wedge Tension proof KZ         | PC   | 643             |
| 31      | Peri Wedge K                   | PC   | 529             |
| 32      | Fix Strap For U100-U120, GALV. | PC   | 104             |
| 33      | Hook Strap HB For VT, GALV.    | PC   | 4,529           |
| 34      | Scaffold Bracket               | PC   | 252             |
| 35      | Universal Tripod, GALV.        | PC   | 446             |
| 36      | Push-Pull Prop RSS1            | PC   | 184             |
| 37      | Push-Pull Prop RSS2            | PC   | 6               |

| Sr. No. | Item Description                | Unit | Approx Quantity |
|---------|---------------------------------|------|-----------------|
| 38      | Push-Pull Prop RSS2 2940 length | PC   | 4               |
| 39      | Wedge Head piece CPL.           | PC   | 449             |
| 40      | Kicker AV CPL                   | PC   | 200             |
| 41      | Cross Head                      | PC   | 620             |
| 42      | Advancing Screw M24,GALV.       | PC   | 198             |
| 43      | Anchor Posit. Plate M24, GALV.  | PC   | 94              |
| 44      | Scaff. Mount. ring M24.GALV.    | PC   | 180             |
| 45      | Hex Bolt ISO4014-M-24X120-10.9  | PC   | 52              |
| 46      | Tie Rod DW15 all size           | PC   | 373             |
| 47      | Wing nut Pivot Plate DW15, G    | PC   | 1,164           |
| 48      | Threaded Plate DW15             | PC   | 3,782           |
| 49      | Climbing Cone-2 M24/DW15        | PC   | 188             |
| 50      | Climbing Bracket CB240          | PC   | 86              |
| 51      | Carriage CB240                  | PC   | 86              |
| 52      | Height Adjusting Unit CB        | PC   | 77              |
| 53      | Rack CB240                      | PC   | 86              |
| 54      | Climbing Bracket CB160          | PC   | 8               |
| 55      | Adjustable Brace CB 164-224     | PC   | 87              |
| 56      | Strong back CB 380              | PC   | 84              |
| 57      | Lag Screw 6X80 DIN571, GALV.    | PC   | 384             |
| 58      | Russian Birch Plywood - 18MM    | sqm  | 4,492           |
| 59      | Panel SDP 150X75                | PC   | 409             |
| 60      | Panel SDP 75X75                 | PC   | 14              |
| 61      | Cover Strip SAL 150             | PC   | 311             |
| 62      | Cover Strip SAL 75              | PC   | 5               |

| Sr. No. | Item Description           | Unit | Approx Quantity |
|---------|----------------------------|------|-----------------|
| 63      | Main Beam SLT 225          | PC   | 282             |
| 64      | Main Beam SLT 150          | PC   | 73              |
| 65      | Prop head SSK              | PC   | 37              |
| 66      | Drop head SFK              | PC   | 722             |
| 67      | Crate Pallet 80X120 PAINTE | PC   | 8               |
| 68      | Peri Girder VT 20 145 CM   | PC   | 537             |
| 69      | Peri Girder VT 20 all size | PC   | 4209            |
| 70      | Peri Girder VT 20 215 CM   | PC   | 25              |
| 71      | Peri Girder VT 20 590 CM   | PC   | 28              |
| 72      | Peri Girder VT-20K 265CM   | PC   | 4               |
| 73      | Peri Girder VT-20K 290CM   | PC   | 12              |
| 74      | Peri Girder VT 20K 330 CM  | PC   | 12              |
| 75      | Peri Girder VT 20K 360 CM  | PC   | 2               |
| 76      | Peri Girder VT 20K 390 CM  | PC   | 134             |
| 77      | Peri Girder VT-20K 450CM   | PC   | 35              |
| 78      | Peri Girder VT-20K 490CM   | PC   | 77              |
| 79      | Girder GT 24, 150          | PC   | 54              |
| 80      | Girder GT 24, all size     | PC   | 130             |
| 81      | Girder GT 24, 210          | PC   | 1               |
| 82      | Girder GT 24, 240          | PC   | 75              |
| 83      | Girder GT 24, 270          | PC   | 37              |
| 84      | Girder GT 24, 300          | PC   | 22              |
| 85      | Girder GT 24, 360          | PC   | 16              |
| 86      | Girder GT 24, 390          | PC   | 41              |
| 87      | Girder GT 24, 420          | PC   | 8               |

| Sr. No.                          | Item Description                               | Unit | Approx Quantity |
|----------------------------------|--|------|-----------------|
| 88                               | Girder GT 24, 450                              | PC   | 31              |
| 89                               | Girder GT 24, 480                              | PC   | 49              |
| 90                               | Prop-Pep-20-400                                | PC   | 898             |
| 91                               | Pallet RP 80X120/2. GALV.                      | PC   | 2               |
| 92                               | Crane Eye BR 2,5 T                             | PC   | 96              |
| 93                               | Kicker AV 210, COMPL.                          | PC   | 31              |
| 94                               | Bearing Box BR                                 | PC   | 96              |
| <b>(ii) <u>DOKA Material</u></b> |  |      |                 |
| 1                                | Shuttering (fixed with Ply, beam & whaler )    | sqm  | 720             |
| 2                                | Tie rod connector 750 mm (15 mm dia)           | No   | 31              |
| 3                                | Tie rod connector 1250 mm (15 mm dia)          | No   | 191             |
| 4                                | Tie rod connector 1500 mm (15 mm dia)          | No   | 43              |
| 5                                | Wooden Plank (1.8 x 0.19) 40 mm thick          | No   | 200             |
| 6                                | Wooden I Section/ Beam(200 x 80) 2.8 length    | No   | 150             |
| 7                                | Wooden I Section / Beam (200 x 80) 2.27 length | No   | 24              |
| 8                                | Ply 12mm thick                                 | sqm  | 28.8            |

0-0-0-0-0