

State Level Environment Impact Assessment Authority, Uttar Pradesh

Directorate of Environment, U.P.

Dr. Bhim Rao Ambedkar Paryavaran Parisar
Vineet Khand-1, Gomti Nagar, Lucknow - 226 010
Phone : 91-522-2300 541, Fax : 91-522-2300 543
E-mail : doeuplko@yahoo.com
Website : www.seiaaup.com

Ref: 707 /623/SEAC/2010/AA(S)

To,

Mr. N. Dutta Gupta
(G.M.-Environment),
M/s Unitech Ltd.,
Unitech House
Gurgaon, Haryana.

Date 31 March, 2012

Sub: Regarding Environmental clearance for Group Housing Project "Unihomes" at plot no. GH-01, sector-113, Noida, U.P. M/s Unitech Ltd., Unitech House, Gurgaon, Haryana.

Dear Sir,

Please refer to your letters dated : 7-12-2010, 02-06-2011 & 27-02-2012 addressed to the Secretary, SEAC, Dr. Bhimrao Ambedkar Paryavaran Parisar, Vineet Khand-1, Gomti Nagar, Lucknow on the subject as above. The State Level Expert Appraisal Committee has considered the case in its 88th meeting held on dt.19-03-2012 and has been given to understand that:-

1. The Project proposal falls under category – 8b of EIA Notification, 2006 (as amended) and will be located at plot no. GH-01, sector-113, , District- Noida.
2. The total plot area and proposed built-up area of the project are respectively 216628.22 sq.mt. and 549529.18 sq.mt .
3. Total no. of group housing units are 3024 for the population of 18802 persons. Total no. of floors are 2 basement + G + 13.
4. Green area of the proposed project is 71487 sq.mt. which is (33%) of the total plot area.
5. The total water requirement is proposed as 1492 KLD from bore well/ municipal supply. Total Fresh water requirement is proposed as 992 KLD.
6. The total waste water generation is proposed as 1219 KLD to be treated in STP of 1470 KLD capacity.
7. 500 KLD treated water will be reused in flushing/ DG cooling/ horticulture and excess 597 KLD treated water will be discharge to municipal sewer line with permission.
8. Total power requirement is proposed as 12.89 MVA to be supplied by UPPCL.
9. 8x500 KVA & 13x750 KVA DG Sets are proposed for power backup.
10. 17 no.s of RWH pits are proposed .
11. Parking facility is proposed for 6002 ECS(Parking proposed on surface/ basement.)
12. Quantity of proposed MSW is 7356 kg/D and E-waste is 2 kg/d.

Based on the recommendations of the State Level Expert Appraisal Committee (88th meeting held on dt. 19-03-2012) the State Level Environment Impact Assessment Authority (52th meeting held on dt. 28/03/2012) has decided to grant the Environmental Clearance to the project subject to the effective implementation of the following general and specific conditions:-

General Conditions :

1. It shall be ensured that all standards related to ambient environmental quality and the emission/effluent standards as prescribed by the MoEF are strictly complied with.

2. It shall be ensured to obtain the no objection/certificate from the U.P Pollution Control Board before start of construction.
3. It shall be ensured that no construction work or preparation of land by the project management except for securing the land is started on the project or the activity without the prior environmental clearance.
4. The proposed land use shall be in accordance to the prescribed land use. A land use certificate issued by the competent authority shall be obtained in this regards.
5. All tree- felling in the project area shall be as permitted by the Forest Department under the prescribed rules. Suitable clearance in this regard shall be obtained from the competent authority.
6. Impact of drainage pattern on environment should be provided.
7. Surface hydrology and water regime of the project area within 10 km should be provided.
8. A suitable plan for providing shelter, light and fuel, water and waste disposal for construction labour during the construction phase shall be provided along with the number of proposed workers.
9. Measures shall be undertaken to recycle and reuse treated effluents for horticulture and plantation. A suitable plan for waste water recycling shall be submitted.
10. It shall be ensured to obtain proper permission from competent authorities regarding enhanced traffic during and due to construction and operation of project.
11. It shall be ensured to obtain necessary clearances from the competent authority on the abstraction and use of ground water during the construction and operation phases.
12. Hazardous/inflammable/Explosive materials likely to be stored during the construction and operation phases shall be as per standard procedure as prescribed under law. Necessary clearances in this regards shall be obtained.
13. Solid wastes shall be suitably segregated and disposed. A separate and isolated municipal waste collection center should be provided. Necessary plans should be submitted in this regard.
14. Suitable rainwater harvesting system as per designs of Ground Water Department shall be installed. Complete proposals in this regard should be submitted.
15. The emissions and effluents etc. from machines, Instruments and transport during construction and operation phases should be according to the prescribed standards. Necessary plans in this regard shall be submitted.
16. Water sprinklers and other dust control measures should be undertaken to take care of dust generated during the construction and operation phases. Necessary plans in this regard shall be submitted.
17. Suitable noise abatement measures shall be adopted during the construction and operation phases in order to ensure that the noise emissions do not violate the prescribed ambient noise standards. Necessary plans in this regard shall be submitted.
18. Separate stock piles shall be maintained for excavated top soil and the top soil should be utilized for preparation of green belt.
19. Sewage effluents shall be kept separate from rain water collection and storage system and separately disposed. Other effluents should not be allowed to mix with domestic effluents.

20. Hazardous/Solid wastes generated during construction and operation phases should be disposed off as prescribed under law. Necessary clearances in this regard shall be obtained.
21. Alternate technologies for solid waste disposals (like vermin-culture etc.) should be used in consultation with expert organizations.
22. No wetland should be infringed during construction and operation phases. Any wetland coming in the project area should be suitably rejuvenated and conserved.
23. Pavements shall be so constructed as to allow infiltration of surface run-off of rain water. Fully impermeable pavements shall not be constructed. Construction of pavements around trees shall be as per scientifically accepted principles in order to provide suitable watering, aeration and nutrition to the trees.
24. The Green building Concept suggested by Indian Green Building Council, which is a part of CII-Godrej GBC, shall be studied and followed as far as possible.
25. Compliance with the safety procedures, norms and guidelines as outlined in National Building Code, 2005 shall be compulsorily ensured.
26. It is to ensure usage of dual flush systems for flush cisterns and explore options to use sensor based fixtures, waterless urinals and other water saving techniques.
27. It is to ensure exploration of options for use of dual pipe plumbing for use of water with different qualities such as municipal supply, recycled water and ground water etc.
28. It is to ensure usage of measures for reducing water demand for landscaping and using xeriscaping, efficient irrigation equipments & controlled watering systems.
29. It shall be ensured to make suitable provisions for using solar energy as alternative source of energy. Solar energy application should be incorporated for illumination of common areas, lighting for gardens and street lighting in addition to provision for solar water heating. Present a detailed report showing how much percentage of backup power for institution can be provided through solar energy so that use and polluting effects of DG sets can be minimized.
30. Make separate provision for segregation, collection, transport and disposal of e-waste.
31. Educate citizens and other stake-holders by putting up hoardings at different places to create environmental awareness.
32. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
33. It shall be ensured to prepare and present disaster management plan.
34. Appropriate safety measure should be made for accidental fire. Smoke meters should be installed as warning measures for accidental fires.
35. The project proponents shall ensure that no construction activity is undertaken without obtaining pre-environmental clearance.
36. Compliance report of post project action taken for any similar project executed in the past is to be submitted.
37. A report on the energy conservation measures confirming to energy conservation norms finalize by Bureau of Energy efficiency should be prepared incorporating details about building materials and technology, R & U Factors etc.

38. Fly ash should be used as building material in the construction as per the provision of fly ash notification of September, 1999 and amended as on August, 2003 (The above condition is applicable only if the project lies within 100 km of Thermal Power Station).
39. The DG sets to be used during construction phase should use low sulphur diesel type and should conform to E.P. rules prescribed for air and noise emission standards.
40. Alternate technologies to Chlorination (for disinfection of waste water) including methods like Ultra Violet radiation, Ozonation etc. shall be examined and a report submitted with justification for selected technology.
41. The green belt design along the periphery of the plot shall achieve attenuation factor conforming to the day and night noise standards prescribed for residential land use. The open spaces inside the plot should be suitably landscaped and covered with vegetation of indigenous variety.
42. The construction of the building and the consequent increased traffic load should be such that the micro climate of the area is not adversely affected.
43. The building should be designed so as to take sufficient safeguards regarding seismic zone sensitivity.
44. High rise buildings should obtain clearance from aviation department or concerned Authority.
45. Suitable measures shall be taken to restrain the development of small commercial activities or slums in the vicinity of the complex. All commercial activities should be restricted to special areas earmarked for the purpose.
46. It is suggested that literacy program for weaker sections of society/women/adults (including domestic help) and under privileged children could be provided in a formal way.
47. The use of Compact Fluorescent lamps should be encouraged. A management plan for the safe disposal of used/damaged CFLs should be submitted.
48. It shall be ensured that all Street and park lighting is solar powered. 50% of the same may be provided with dual (solar/electrical) alternatives.
49. Solar water heater shall be installed to the maximum possible capacity. Plans may be drawn up accordingly and submitted with justification.
50. Treated effluents shall be maximally reused to aim for zero discharge. Where ever not possible, a detailed management plan for disposal should be provided with quantities and quality of waste water.
51. The treated effluents should normally not be discharged into public sewers with terminal treatment facilities as they adversely affect the hydraulic capacity of STP. If unable, necessary permission from authorities should be taken.
52. Construction activities including movements of vehicles should be so managed so that no disturbance is caused to nearby residents.
53. All necessary statutory clearances should be obtained and submitted before start of any construction activity and if this condition is violated the clearance, if and when given, shall be automatically deemed to have been cancelled.
54. Parking areas should be in accordance with the norms of MOEF, Government of India. Plans may be drawn up accordingly and submitted.

55. The location of the STP should be such that it is away from human habitation and does not cause problem of odor. Odorless technology options should be examined and a report submitted.
56. The Environment Management plan should also include the break up costs on various activities and the management issues also so that the residents also participate in the implementation of the environment management plan.
57. Detailed plans for safe disposal of STP sludge shall be provided along with ultimate disposal location, quantitative estimates and measures proposed.
58. Status of the project as on date shall be submitted along with photographs from North, South, West and East side facing camera and adjoining areas should be provided.
59. Specific location along with dimensions with reference to STP, Parking, Open areas and Green belt etc. should be provided on the layout plan.
60. The DG sets shall be so installed so as to conform to prescribed stack heights and regulations and also to the noise standards as prescribed. Details should be submitted.
61. E-Waste Management should be done as per MoEF guidelines.
62. Electrical waste should be segregated and disposed suitably as not to impose Environmental Risk.
63. The use of suitably processed plastic waste in the construction of roads should be considered.
64. Displaced persons shall be suitably rehabilitated as per prescribed norms.
65. Dispensary for first aid shall be provided.
66. Safe disposal arrangement of used toiletries items in Hotels should be ensured. Toiletries items could be given complementary to guests, adopting suitable measures.
67. Diesel generating set stacks should be monitored for CO and Hydrocarbons.
68. Ground Water downstream of Rain Water Harvesting pit nearest to STP should be monitored for bacterial contamination. Necessary Hand Pumps should be provided for sampling. The monitoring is to be done both in pre and post monsoon, seasons.
69. The green belt shall consist of 50% trees, 25% shrubs and 25% grass as per MoEF norms.
70. A Separate electric meter shall be provided to monitor consumption of energy for the operation of sewage/effluent treatment in tanks.
71. An energy audit should be annually carried out during the operational phase and submitted to the authority.
72. Project proponent shall endeavor to obtain ISO:14001 certification. All general and specific conditions mentioned under this environmental manual to be prepared for the certification purpose and compliance.
73. 2% of the total project cost should be utilized for the development of surrounding areas and to create a corpus of funds for implementing management plan under Social, Corporate responsibility. Submit the plan accordingly.

b. Specific Conditions:

1. All internal roads should not be less than 9 meter wide.
2. 100% LED will be used in common areas as they agree. For street lighting ^(100%) solar and 50% dual power lighting will be provided.

Environmental clearance for Group Housing Project "Unihomes" at plot no. GH-01, sector-113, Noida, U.P.

3. Stack height should be calculated on the basis combined DG sets capacity and should be higher than the tallest building in the project.
4. No ground water shall be used during construction and operation phase.

The project proponent will have to submit approved plans and proposals incorporating the conditions specified in the Environmental Clearance within 03 months of issue of the clearance. Failing this the environmental Clearance shall be deemed to be cancelled.

Necessary statutory clearances should be obtained and submitted before start of any construction activity. In the event of the violation of the condition the environmental clearance shall be automatically deemed to have been cancelled.

These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006 including the amendments and rules made thereafter.


This is to request you to take further necessary action in matter as per provision of Gazette Notification No. S.O. 1533(E) dated 14.9.2006 and send regular compliance reports to the authority as prescribed in the aforesaid notification.

(Dr. C.S. Bhatt)
Member Secretary, SEIAA

Ref.no. / SEAC/623/ 2010/AA(S). dated as above

Copy for Information and necessary action to:

1. The Secretary, Environment, U.P. Govt., Lucknow.
2. Dr. P.L. Ahuja Raj, Director, IA Division, Ministry of Environment & Forests, Govt. of India, Paryavaran Bhawan, CGO Complex, Lodhi Road, New Delhi.
- ✓ 3. Chief conservator, Regional Office. Ministry of Environment & Forests, (Central Region), Kendriya Bhawan, 5th Floor, Sector-H, Aliganj, Lucknow.
4. The Member Secretary, SEIAA, U.P. P.C.B., PICUP Bhawan, Gomti Nagar, Lucknow.
5. District Magistrate, Gautam budha nagar.
6. Nodal Officer SEAC/SEIAA U.P., Lucknow.


(O.P. Varma)
31/3/12
Director (I/c), Directorate
of Environment &
Secretary, SEAC

unitech

NOTICE

This is for your information that two residential projects - "Unitech Group Housing Project" of 53.53 acres at plot no. GH-01, Sector 113, Noida, UP & Integrated project "Plotted colony cum Group Housing" of 99.87 acres at plot no. GH-01, Sector-MU, Gr. Noida being developed by M/s Unitech Limited has been accorded Environmental Clearance from State Environment Impact Assessment Authority (SEIAA), Uttar Pradesh Directorate of Environment, UP. Vide EIA notification dated 14.09.2006.

The copies of the said environmental clearance letters are available with the State Environment Impact Assessment Authority, UP and can also be seen on their website www.seiaaup.com

| No. | Partic |
|-----|------------------------|
| 1 | Numb Valid e-Vot |
| 2 | Asse Reso |
| 3 | Disse Reso |
| 4 | Num Invali Vote |
| 5 | Resu |

The resu
the Stock
www.hind

Place : M
Date : 1

SHAREHO

साआ

हैं की। पिछले माह
हुंची, तब सीओ की
फर्सों ने शुरूआत में
का प्रयास किया और
ओं में दर्ज की।

मुख्यमंत्री तक पहुंचा,
नन में न सिर्फ सीओ
उचित धाराओं में
गिरफ्तारी के आदेश
ने सीएमएम कोर्ट से
नती वारंट ले लिया
गयी।

जावा कर रहे थे कि
तापगढ़ और दूसरी
। मामले में बुधवार
वजे विवेचनाधिकारी
ही को पुलिस घेरे में

Unitech

NOTICE

This is for your information that
two residential projects -
"Unitech Group Housing
Project" of 59.53 acres at plot
no. GH-D1, Sector 113, Noida,
UP & Integrated project "Plotted
colony cum Group Housing" of
99.87 acres at plot no. GH-01,
Sector-MU, Gr. Noida being
developed by M/s Unitech
Limited has been accorded
Environmental Clearance from
State Environment Impact
Assessment Authority (SEIAA),
Uttar Pradesh Directorate of
Environment, UP. Vide EIA
notification dated 14.09.2006.

The copies of the said
environmental clearance letters
are available with the State
Environment Impact
Assessment Authority, UP and
can also be seen on their
website www.seiaaup.com

Unitech Limited

Unitech House, South City-I
Gurgaon 122 007, Haryana, India

T +91 124 4125 200
F +91 124 2383 332
www.unitechgroup.com

Regd. Office: 6, Community Centre, Saket,
New Delhi - 110017.

T +91 11 41664040

Ref: CR /MoEF-CR2/ GH-113 /3105/2014

**To,
The Director,
Regional Office,
Ministry of Environment & forests (Central Region),
Kendriya Bhawan, 5th Floor Sector-H,
Aliganj, Lucknow-226024**

unitech
Date: 31.05.2014

**The Member Secretary,
SEIAA/U.P, Pollution Control Board
3rd Floor, PICUP Bhawan
Gomti Nagar, Lucknow 226010**

**The Secretary,SEAC
Directorate of Environment,
U.P. Dr. Bhim Rao Ambedkar Paryavaran Parisar,
Vineet Khand-1, Gomati Nagar Lucknow 226010.**

Ref: EC letter no. 707/623/SEAC/2010/AA(S) dated 31.03.2012

Subject: Submission of 5th Six Monthly EC Compliance Report along with environmental monitoring report (with soft copy in CD) for Group Housing Project "Unihomes" at plot no. GH-01, Sector-113, Noida, UP" by Unitech Ltd.


Dear Sir,

This is with reference to point of the General condition of Environmental Clearance (EC) letter no. 707/623/SEAC/2010/AA(S) dated 31.03.2012 received from SEIAA, U.P. Please find enclosed the 5th six monthly EC Compliance Report along with Environmental Monitoring report (with soft copy in CD) for the above said project

Hope, you will find the EC Compliance Report in order and it will help to assess the point wise implementation status of environmental safeguard measures for the above said project.

Thanking you in anticipation,

**Yours truly,
For Unitech Ltd.**


Authorized Signatory

Encl.-As stated above.

Enclosed: EC Compliance Report along with all relevant annexure (with Soft copy in CD)

संदर्भ संख्या

F22/32

सी-१/एन/एन.ओ.सी.-८८३/२०१३

दिनांक

11-4-23

सेवा में,

मे0

यूनिटेक ग्रुप हाउसिंग प्रोजेक्ट,

जीएच-०१/सी, सेक्टर-११३, नोएडा,

गौतमबुद्धनगर

विषय : पर्यावरणीय प्रदूषण की दृष्टि से / नई इकाई की स्थापना हेतु / ~~कार्यरत इकाई की उत्पादन क्षमता में~~
~~विस्तार / संयंत्रों के नवीनीकरण~~ हेतु अनापत्ति प्रमाण पत्र निर्गमन

महोदय,

कृपया उपरोक्त विषयक अपने आवेदन पत्र दिनांक का संदर्भ लें। आपके आवेदन पर विचार किया गया है तथा कृपया अवगत हो कि उद्योग को पर्यावरणीय प्रदूषण के दृष्टिकोण से निम्नलिखित विशिष्ट शर्तों एवं सामान्य शर्तों (संलग्नक) के समुचित अनुपालन के साथ सशर्त अनापत्ति स्वीकृत की जाती है।

1. अनापत्ति प्रमाण-पत्र निम्नलिखित विशिष्ट विवरणों के लिए ही निर्गत किया जा रहा है :-

(क) स्थल :

प्लॉट नं.-जीएच-०१/सी, सेक्टर-११३, नोएडा, गौतमबुद्धनगर

(ख) उत्पादन :

प्रस्तावित-२१६६४४ वर्गमी० भूमि क्षेत्रफल

ग्रिल्टअप एरिया ४२८५६५ वर्गमी० पर आवासीय कालोनी, कमर्शियल

सुविधा, क्लब आदि का निर्माण।

(घ) औद्योगिक उत्प्रेषण की मात्रा :

शून्य

(ड.) प्रयुक्त ईंधन :

५०० केवीए के ०८ डी.जी. सेट एवं १५० केवीए के १३ डी.जी. सेट

उपर्युक्त विषय वस्तु में किसी भी प्रकार से परिवर्तन करने पर पुनः अनापत्ति प्रमाण-पत्र प्राप्त करना आवश्यक होगा।

2. उद्योग में सभी आवश्यक यंत्र, संयंत्र, हरित पट्टिका, उत्प्रेषण शुद्धिकरण संयंत्र तथा वायु प्रदूषण नियंत्रण व्यवस्था की स्थापना में की गयी प्रगति रिपोर्ट इस कार्यालय में प्रत्येक माह की दसवीं तारीख तक निरंतर प्रेषित करें।
3. उद्योग इकाई में परीक्षण उत्पादन तब तक प्रारम्भ नहीं करें जब तक कि वह बोर्ड से जल एवं वायु अधिनियमों के अन्तर्गत सहमति प्राप्त न कर लें। जल एवं वायु सहमति प्राप्त करने हेतु इकाई ने उत्पादन प्रारम्भ करने की तिथि से कम से कम 2 माह पहले निर्धारित सहमति आवेदन पत्रों को उत्पादन पूर्व प्रथम आवेदन का उल्लेख करते हुए इस कार्यालय में अवश्य ही जमा कर दिया जाए। यदि उद्योग उपरोक्त का अनुपालन नहीं करता है तो उक्त अधिनियमों के वैधानिक प्राविधानों के अन्तर्गत उद्योग के विरुद्ध बिना किसी पूर्व सूचना के विधिक कार्यवाही की जा सकती है।
4. उद्योग में परीक्षण उत्पादन के पूर्व हमारे क्षेत्रीय कार्यालय द्वारा इकाई का निरीक्षण सुनियोजित किया जाए।

७. मै. यूनिटेक ग्रुप हाउसिंग प्रोजेक्ट, प्लॉट नं.-जीएच-०१/सी, सेक्टर-११३, नोएडा द्वारा प्रस्तावित २१६६४४ वर्गमीटर भूमि क्षेत्रफल, बिल्टअप एरिया क्षेत्रफल ४२८५६५ वर्ग मीटर पर आवासीय कालोनी, कमर्शियल सुविधा, क्लब आदि का निर्माण किया जाये।

८. संस्था द्वारा प्रस्तावानुसार १२१९ के०एल०डी० उत्प्राह के शुद्धिकरण हेतु ०४ एस०टी०पी० कुल क्षमता १४७० के०एल०डी० क्षमता एस०टी०पी० स्थापित करें। शुद्धिकृत उत्प्राह को सिंचाई, ए०सी०, डी०जी० कूलिंग टवर मेकप के रूप में तथा फ्लसिंग हेतु प्रयोग किया जाये।

९. संस्था द्वारा शुद्धिकरण व्यवस्थाओं हेतु अलग से डी०जी० सेट स्थापित करें तथा उक्त हेतु विद्युत मीटर स्थापित करें।

१०. सॉलिड मैनेजमेंट एम०एस०डब्ल्यू. रूल्स-२००० के प्राविधानों के अनुसार किया जाये।

११. समस्त प्रस्तावित डी०जी० सेट पर ध्वनि रोधक व्यवस्थाओं के साथ-साथ प्रस्तावानुसार चिमनी भी स्थापित की जाये।

१२. संस्था द्वारा रेन वाटर हार्वेस्टिंग व्यवस्था स्थापित किया जाये।

१३. संस्था द्वारा नियमानुसार कम से कम ३३ प्रतिशत कुल प्रस्तावित क्षेत्रफल का हरित पट्टिका के रूप में विकसित किया जाये।

द्वारा पर्यावरण एवं वन मंत्रालय, भारत सरकार / स्टेट इन्वायरमेंट इम्पेक्ट असेसमेंट अथॉरिटी से पर्यावरणीय क्लीरेंस प्राप्त किया जाये।

१५. यह अनापत्ति प्रमाण पत्र की वैधता पाँच वर्ष या बैंक गारण्टी की वैधता तिथि से एक वर्ष कम जो पूर्व हो मान्य होगी।


१६. यह अनापत्ति प्रमाण पत्र अन्य विभागों तथा मा० न्यायलयों/नेशनल ग्रीन ट्रिब्यूनल के द्वारा समय-समय पर पारित आदेशों/स्वीकृतियों के अधीन होगी।

१७. उद्योग द्वारा किसी भी परिस्थिति में उत्प्राह परिसर के बाहर भूमि पर तथा परिसर के अन्दर रिवोर्सिंग द्वारा जमीन के अन्दर नहीं डाला जायेगा।

१८. संस्था को निर्गत बैंक गारण्टी फॉर्म एफ २०१६९/सी-१/एन/एन०ओ०सी०/८८३/२०१३, दिनांक १४.३.१३ का अक्षरशः अनुपालन करना सुनिश्चित करें, अनुपालन न करने की दशा में संस्था द्वारा प्रेषित बैंक गारण्टी बोर्ड के पक्ष में अवमुक्त की जा सकती है, जिसकी पूर्ण जिम्मेदारी स्वयं संस्था के जिम्मेदार पदाधिकारियों की होगी।

मुपालन आख्या नियमित प्रेषित की जाए अन्यथा अनापत्ति निरस्त कर दी जाएगी।

भवदीय


सदस्य सचिव

पृष्ठांकन सं.

/ एन. ओ. सी.

तद दिनांक

प्रतिलिपि :

1. महाप्रबन्धक, जिला उद्योग केन्द्र :


जी. बी. नगर

2. उपकर अधिकारी, उ. प्र. प्रदूषण नियंत्रण बोर्ड, लखनऊ।

3. क्षेत्रीय अधिकारी, उ. प्र. प्रदूषण नियंत्रण बोर्ड :

नोएडा

4.


मुख्य पर्यावरण अधिकारी

(सर्किल- १)